


HOOK `n` LOOP

Hook `n` Loop Tie Wraps are reusable and used where changes in bundling requirements are anticipated.

SPECS. FOR HL01 To HLO4 -

- Material : Hook : Nylon - 66 (PA-66) monofilaments woven
Loop : Nylon - 6 (PA-6) multifilaments woven
- Flammability Rating : UL 94 HB
- Colour : Black (Std. Colour) other colors against order
- Operating Temp. : -20°C to 85°C
- Peel - off Strength : 2.5 N / cm (Initial), 2.12 N / cm (After 5000 cycles)
- Shear Strength : 10 N / cm² (Initial), 7.5 N / cm² (After 5000 cycles)



SPECS. FOR HL05 To HLO6 -

- Material : Hook : Nylon - 6 (PA-6) moulded
Loop : Nylon - 6 (PA-6) multifilament knitted
- Flammability Rating : UL 94 HB
- Colour : Black (Std. Colour) other colors against order
- Operating Temp. : -20°C to 85°C
- Peel - off Strength : 1.25 N / cm (Initial), 1 N / cm (After 5000 cycles)
- Shear Strength : 9 N / cm², 6 N / cm² (After 5000 cycles)

- Features :
 - * Easy & Fast bundling with adjustable Tension
 - * Gentle grip over the cable eliminates the risk of over tightening & damaging the cable / wires
 - * Variety of sizes & designs available to suit the typical applications
 - * All the Hook `n` Loop products can be custom printed
- Application : Used in Fiber optics, Computer networking, telecom, data cable harnessing and many other Packaging /Hooking applications, etc.

HL01 HOOK `N` LOOP WRAP TIE



- Features : Our economical design features quick and easy bundling of cables and wires, for Computer Network, Electronic Instrument, Home Theatre etc.
- Application : The Hook `n` Loop Wrap Tie is designed for cables and cords for professional and household applications



Cat No.	L Length mm	W Width mm	Maximum Bundle Dia. mm (inch)	Tensile Strength Kgs. (Lbs.)	Std.Colour	Std. Qty./ Bag
HLT-100I	100	12	24 (0.94)	18 (40)	Black	100 Pcs./Bag
HLT-150I	150	12	35 (1.37)			
HLT-200I	200	12	50 (2.0)			
HLT-100S	100	16	24 (0.94)	20 (44)		
HLT-150S	150	16	35 (1.37)			
HLT-200S	200	16	50 (2.0)			
HLT-100H	100	20	24 (0.94)	22 (48)		
HLT-150H	150	20	35 (1.37)			
HLT-200H	200	20	50 (2.0)			
HLT-250H	250	20	60 (2.36)			


HOOK `n` LOOP

HL02 HOOK `N` LOOP ADHESIVE TIE MOUNT



- Features : * The Hook `n` Loop Adhesive Mount organizes cables on variety of plain/ clean surfaces
* Adhesive backed eliminates screwing or riveting for holding bundles
- Application : The rubber base adhesive allows for attachment to desks, walls, computers and many such kind of equipments.

Cat No.	L Length mm	W Width mm	Maximum Bundle Dia. mm (inch)	Tensile Strength Kgs. (Lbs.)	Std.Colour	Std. Qty./ Bag
HLM-20	130	20	28 (1.1)	22 (48)	Black	100 Pcs./ Bag
HLM-25	130	25	28 (1.1)	25 (55)		



HL03 HOOK `N` LOOP BUCKLE TIE



- Features : The loop lock acts like a pulley, giving you leverage to pull the strap as tight as needed. The non-metallic buckle is safe to use around electrical and magnetic equipment
- Application: The Hook `n` Loop Buckle Tie has many uses like bundling cables, houses and strapping equipment to desks or carts

Cat No.	L Length mm	W Width mm	Maximum Bundle Dia. mm (inch)	Tensile Strength Kgs. (Lbs.)	Std.Colour	Std. Qty./ Bag
HLB-160	160	20	38 (1.5)	22 (48)	Black	100 Pcs./ Bag
HLB-200	200	20	50 (2.0)			
HLB-250	250	20	60 (2.36)			



HOOK `n` LOOP

HL04 HOOK `N` LOOP SCREW MOUNTING TIE



- Features : The metal eyelet has been provided to suspend cables on wiring racks, mobile carts, walls etc.,
- Application : The Hook `n` Loop Screw Mounting Tie is the most sturdy and easier way to organize large and unmanageable cables

Cat No.	L Length mm	W Width mm	Maximum Bundle Dia. mm (inch)	Tensile Strength Kgs. (Lbs.)	Std.Colour	Std. Qty./ Bag
HLS-160	160	20	38 (1.49)	22 (48)	Black	100 Pcs./Bag
HLS-200	200	20	50 (2.0)			



HL05 HOOK `N` LOOP WRAP STRAP (BACK TO BACK)



- Features : The Hook `n` Loop Wrap Strap is a fastest and most cost effective method of bundling. It is recommended as "Soft-hold" to use for sensitive data cables
- Application : Wide application like : Wire Harness Assembly, Medical Tubing, Home Theatre, Audio Equipment and many more

Cat No.	L Length mtrs.	W Width mm	Tensile Strength Kgs. (Lbs.)	Std.Colour	Std. Qty./ Roll
HLWS-16	5	16	19 (42)	Black	5 Mtrs./ Roll
HLWS-20	5	20	22 (48)		
HLWS-25	5	25	25 (55)		

HOOK 'n' LOOP

HL06 HOOK 'N' LOOP NEW WRAP TIE (BACK TO BACK)



- Features : Slotted Head ensures convenient application
- Application : The Hook & Loop Wrap Ties are Ideal for wrapping pre-determined bundle diameters

Cat No.	L Length mm	W Width mm	Maximum Bundle Dia. mm (inch)	Tensile Strength Kgs. (Lbs.)	Std. Colour	Std. Qty./ Bag
HLWT-210	210	12	52 (2.04)	18 (40)	Black	100 Pcs./Bag
HLWT-250	250	12	60 (2.36)			

